


## Transaction Payout Authorization

Once a transaction has been successfully created and has moved to pending state, Affiliate will be able to request for delivery through the [delivery-request API](#). Upon receiving the delivery request, Machnet will verify if the transaction has passed all the compliance checks. Once all checks are completed, the delivery status will be changed to `DELIVERY\_AUTHORIZED`. 'transaction\_delivery\_authorized' webhook event will also be sent upon authorization. Once Affiliate receives the authorization, the transaction can be paid out by the Affiliate. Depending on the results of the payout, payout status needs to be updated using the below API. The high level flow is described below:



### Get list of Transactions Authorized for Delivery

Affiliate will be able to fetch the list of DELIVERY\_AUTHORIZED transactions using

the following API: **Request:**

```
GET {{url}}/admin/transactions?delivery_status=DELIVERY_AUTHORIZED
```

**Response:**

```
TransactionObject
```

### Update Transaction Delivery Status

Once a transaction has been paid out, Affiliates are requested to update the status in r Machnet’s system using the following API.

```
POST
{{url}}/senders/{{sender_id}}/transactions/{{transaction_id}}/delive
r y-details
```

#### Delivery detail Object

Parameter	Type	Required	Description	Remarks
date_delivered	LocalDateTime	Yes	Date/Time of delivery	The time of delivery/ failure of payout YYYY-MM-DD HH:MM:SS  e.g.2019-07-06 00:00:00
status	String	Yes	Delivery Status: “DELIVERED”, “DELIVERY_FAILED”	
note	String	Conditional	Note about the delivery	1. Note is not required in case the delivery is successful.  2. If the payout is not successful, you will need to update the failure reason in the note.

referenceNumber	String	No	Reference number of the Payout Partner	
file	Base64	No	Proof of delivery	Proof of delivery may be required for transactions based on compliance requirements.
file_name	String	No	File name	

## Request

```
curl -X POST
'{{url}}/senders/{{sender_id}}/transactions/{{transaction_id}}/delivery-details' \
--header 'X-Client-Id: client_id' \
--header 'X-Client-Secret: client_secret' \
--header 'Content-Type: application/json' \
--data '{
  "date_delivered" : "2019-07-06 00:00:00",
  "status" : "delivery_status",
  "reference_number" : 5657575,
  "file_name" : "fileName.pdf",
  "file" : "base64 file"
}'
```

## Response

204